

[illegible]

• • • •

```

LL          IIIIII          SSSSSSSS
LL          IIIIII          SSSSSSSS
LL          II              SS
LL          II              SS
LL          II              SS
LL          II              SS
LL          II              SSSSSS
LL          II              SSSSSS
LL          II              SS
LL          II              SS
LL          II              SS
LL          II              SS
LLLLLLLLLLLL IIIIII          SSSSSSSS
LLLLLLLLLLLL IIIIII          SSSSSSSS

```



```
1 0001 0 MODULE AED$CLEANUP (  
2 0002 0 LANGUAGE (BLISS32),  
3 0003 0 IDENT = 'V04-000'  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 *  
27 0027 1 *  
28 0028 1 *****  
29 0029 1  
30 0030 1 ++  
31 0031 1  
32 0032 1 FACILITY: Miscellaneous utilities  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 This module contains routines to restore the user's environment to  
37 0037 1 the same as it was before the editing session began (unneeded files  
38 0038 1 are deleted, terminal characteristics reset, etc).  
39 0039 1  
40 0040 1 ENVIRONMENT:  
41 0041 1  
42 0042 1 VAX/VMS operating system, user mode utilities.  
43 0043 1  
44 0044 1 --  
45 0045 1  
46 0046 1  
47 0047 1 AUTHOR: L. Mark Pilant CREATION DATE: 12-Nov-1982 9:50  
48 0048 1  
49 0049 1 MODIFIED BY:  
50 0050 1  
51 0051 1 V03-004 LMP0213 L. Mark Pilant, 24-Mar-1984 12:23  
52 0052 1 Add support for locking and unlocking the object's ACL.  
53 0053 1  
54 0054 1 V03-003 LMP0172 L. Mark Pilant, 28-Nov-1983 12:11  
55 0055 1 Numerous bug fixes, support for VT2xx terminals, and a  
56 0056 1 session keystroke logger.  
57 0057 1
```

AED\$CLEANUP
V04-000

D 15
15-Sep-1984 23:37:15 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 11:52:22 [ACLEDT.SRC]AEDCLENUP.B32;1

Page 2
(1)

```
: 58      0058 1 | V03-002 LMP0144      L. Mark Pilant,      25-Aug-1983 10:18
: 59      0059 1 |      Leave keypad application mode on if it was on initially.
: 60      0060 1 |
: 61      0061 1 | V03-001 LMP0076      L. Mark Pilant,      10-Feb-1983 15:36
: 62      0062 1 |      Reset the scrolling region upon leaving the editor.
: 63      0063 1 |
: 64      0064 1 | **
: 65      0065 1 |
: 66      0066 1 | LIBRARY 'SYSS$LIBRARY:LIB.L32';
: 67      0067 1 | LIBRARY 'SYSS$LIBRARY:TPAMAC.L32';
: 68      0068 1 | REQUIRE 'SRC$ACLEDTDEF';
```


AED\$CLEANUP
V04-000

E 15
13-Sep-1984 23:37:15 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 11:52:22 [ACLEDT.SRC]AEDCLENUP.B32;1

Page 3
(2)

:	70	0521	1	FORWARD ROUTINE		
:	71	0522	1	AED_CLEANUP	: NOVALUE;	! Reset screen characteristics
:	72	0523	1			
:	73	0524	1	EXTERNAL ROUTINE		
:	74	0525	1	AED_SET_CURSOR,		! Set cursor position
:	75	0526	1	AED_PUTOUTPUT;		! Do terminal output

```

77 0527 1 GLOBAL ROUTINE AED_CLEANUP : NOVALUE =
78 0528 1
79 0529 1 ++
80 0530 1
81 0531 1 FUNCTIONAL DESCRIPTION:
82 0532 1
83 0533 1 This routine sets the scope characteristics back to normal. This
84 0534 1 means: (1) the normal keypad and (2) no scrolling region if any.
85 0535 1 If the terminal is not a scope, this routine is a no-op.
86 0536 1
87 0537 1 CALLING SEQUENCE:
88 0538 1 AED_CLEANUP ( )
89 0539 1
90 0540 1 INPUT PARAMETERS:
91 0541 1 none
92 0542 1
93 0543 1 IMPLICIT INPUTS:
94 0544 1 AED_W_TERMIN: terminal input channel
95 0545 1 AED_W_TERMOUT: terminal output channel
96 0546 1
97 0547 1 OUTPUT PARAMETERS:
98 0548 1 none
99 0549 1
100 0550 1 IMPLICIT OUTPUTS:
101 0551 1 none
102 0552 1
103 0553 1 ROUTINE VALUE:
104 0554 1 none
105 0555 1
106 0556 1 SIDE EFFECTS:
107 0557 1 1) Keypad is set back to its normal functions
108 0558 1 2) Scrolling region, if any, is set to include the entire screen
109 0559 1
110 0560 1 --
111 0561 1
112 0562 2 BEGIN
113 0563 2
114 0564 2 LOCAL
115 0565 2 TERM_CHAR : VECTOR [3], ! Terminal characteristics
116 0566 2 LOCAL_IOSB : VECTOR [4,WORD], ! I/O Status block
117 0567 2 LOCAL_STATUS; ! Routine exit status
118 0568 2
119 0569 2 ! Check to make sure the terminal is a scope.
120 0570 2
121 0571 2 IF NOT .AED_L_FLAGS[AED_V_SCOPE] THEN RETURN 1;
122 0572 2
123 0573 2 ! Set terminal wrapping if necessary.
124 0574 2
125 0575 2 IF .AED_L_FLAGS[AED_V_WRAP]
126 0576 2 THEN
127 0577 2 BEGIN
128 0578 2 LOCAL_STATUS = $QIOW (CHAN = .AED_W_TERMOUT,
129 0579 2 FUNC = IO$ SENSEMODE,
130 0580 2 IOSB = LOCAL_IOSB,
131 0581 2 P1 = TERM_CHAR);
132 0582 2 IF .LOCAL_STATUS THEN LOCAL_STATUS = .LOCAL_IOSB[0];
133 0583 2 IF NOT .LOCAL_STATUS THEN SIGNAL (.LOCAL_STATUS);

```



```
134      0584      TERM_CHAR[1] = .TERM_CHAR[1] OR TTSM_WRAP;  
135      0585      LOCAL_STATUS = $QIOW-(CHAN = .AED_W_TERMOUT,  
136      0586      FUNC = IOS_SETMODE,  
137      0587      IOSB = LOCAL_IOSB,  
138      0588      P1 = TERM_CHAR);  
139      0589      IF .LOCAL_STATUS THEN LOCAL_STATUS = .LOCAL_IOSB[0];  
140      0590      IF NOT .LOCAL_STATUS THEN SIGNAL (.LOCAL_STATUS);  
141      0591      END;  
142      0592  
143      0593      ! Reset the keypad, if necessary.  
144      0594  
145      0595      IF NOT .AED_L_FLAGS[AED_V_APPLICAT]  
146      0596      THEN  
147      0597      BEGIN  
148      0598      LOCAL_STATUS = AED_PUTOUTPUT ($DESCRIPTOR (%CHAR (AED_C_CHAR_ESC), '>'));  
149      0599      IF NOT .LOCAL_STATUS THEN SIGNAL (.LOCAL_STATUS);  
150      0600      END;  
151      0601  
152      0602      ! Reset the scrolling region.  
153      0603  
154      0604      SCR$SET_SCROLL (1, 24);  
155      0605  
156      0606      AED_SET_CURSOR (23, 1);  
157      0607  
158      0608      RETURN 1;  
159      0609  
160      0610      ! End of routine AED_CLEANUP
```

```
.TITLE AED$CLEANUP  
.IDENT \V04-000\  
.PSECT AED_COMMON,NOEXE, OVR,0
```

```
00000 AED_L_FLAGS:  
      .BLKB 4  
00004 AED_B_OPTIONS:  
      .BLKB 1  
00005      .BLKB 3  
00008 AED_L_OBJTYP:  
      .BLKB 4  
0000C AED_Q_OBJNAM:  
      .BLKB 8  
00014 AED_L_WORSTERR:  
      .BLKB 4  
00018 AED_L_PAGEWIDTH:  
      .BLKB 4  
0001C AED_L_PAGESIZE:  
      .BLKB 4  
00020 AED_B_COLUMN:  
      .BLKB 1  
00021      .BLKB 3  
00024 AED_B_LINE:  
      .BLKB 1  
00025      .BLKB 3  
00028 AED_B_SAVE_COL:  
      .BLKB 1
```

00029	.BLKB	3
0002C	AED_B_SAVE LIN:	
	.BLKB	1
0002D	.BLKB	3
00030	AED_Q_LINETABLE:	
	.BLKB	12
0003C	AED_L_CURACE:	
	.BLKB	4
00040	AED_L_FIRSTLINE:	
	.BLKB	4
00044	AED_L_LASTLINE:	
	.BLKB	4
00048	AED_L_BEGINLINE:	
	.BLKB	4
0004C	AED_W_INPUTLEN:	
	.BLKB	2
0004E	.BLKB	2
00050	AED_Q_DEL ACE:	
	.BLKB	8
00058	AED_Q_DEL LINE:	
	.BLKB	8
00060	AED_Q_DEL WORD:	
	.BLKB	8
00068	AED_B_DEL CHAR:	
	.BLKB	1
00069	.BLKB	3
0006C	AED_A_ACLBUFFER:	
	.BLKB	4
00070	AED_Q_OUTLINE:	
	.BLKB	8
00078	AED_W_OBJCHAN:	
	.BLKB	2
0007A	.BLKB	2
0007C	AED_W_TERMIN:	
	.BLKB	2
0007E	.BLKB	2
00080	AED_W_TERMOUT:	
	.BLKB	2
00082	.BLKB	2
00084	AED_W_IOSB:	
	.BLKB	8
0008C	AED_L_STATUS:	
	.BLKB	4
00090	AED_B_FIELD:	
	.BLKB	1
00091	.BLKB	3
00094	AED_W_FIELDBEG:	
	.BLKB	2
00096	.BLKB	2
00098	AED_W_FIELDEND:	
	.BLKB	2
0009A	.BLKB	2
0009C	AED_B_ITEM:	
	.BLKB	1
0009D	.BLKB	3
000A0	AED_W_ITEMBEG:	
	.BLKB	2


```

000A2 .BLKB 2
000A4 AED_W_ITEMEND: .BLKB 2
000A6 .BLKB 2
000A8 AED_B_ACETYPE: .BLKB 1
000A9 .BLKB 3
000AC AED_W_JOURNAL: .BLKB 2
000AE .BLKB 2
000B0 AED_T_CURLINE: .BLKB 532
002C4 AED_W_TOTALSIZE: .BLKB 2
002C6 .BLKB 2
002C8 JOURNAL_FAB: .BLKB 80
00318 JOURNAL_NAM: .BLKB 96
00378 JOURNAL_RAB: .BLKB 68
003BC JOURNAL_XABPRO: .BLKB 88
00414 JOURNAL_BUFFER: .BLKB 10
0041E .BLKB 2
00420 JOURNAL_INDEX: .BLKB 4
00424 RECOVER_FAB: .BLKB 80
00474 RECOVER_NAM: .BLKB 96
004D4 RECOVER_RAB: .BLKB 68
00518 RECOVER_BUFFER: .BLKB 10
00522 .BLKB 2
00524 RECOVER_INDEX: .BLKB 4

```

.PSECT SPLITS, NOWRT, NOEXE, 2

```

1B 00000 P.AAB: .ASCII <27>
3E 00001 .ASCII \>\
00000002 00002 .BLKB 2
00000000 00004 P.AAA: .LONG 2
00000000 00008 .ADDRESS P.AAB

```

```

.EXTRN CLISGET VALUE, CLISPRESNT
.EXTRN LIB$FREE VM, LIB$GET VM
.EXTRN LIB$PARSE, SCR$DOWN-SCROLL
.EXTRN SCR$ERASE LINE, SCR$ERASE PAGE
.EXTRN SCR$SET CURSOR, SCR$SET SCROLL
.EXTRN SCR$UP SCROLL, AED$OBJLOCKED
.EXTRN AED$BADKEEP, AED$_LOCATERR
.EXTRN AED$_INIREADERR
.EXTRN AED$_JOUWRITERR

```

:
:
:
:


```

.ENTRY      AED_CLEANUP, Save R2,R3,R4,R5,R6,R7
MOVAB      SYSSQIOW, R7
MOVAB      LIB$SIGNAL, R6
MOVAB      SCR$ERASE_PAGE, R5
MOVAB      SCR$SET_CURSOR, R4
MOVAB      AED_L_FLAGS, R3
SUBL2      #20, SP
BBS        #3, AED_L_FLAGS, 1$
RET
BBS        #4, AED_L_FLAGS, 2$
BRW        10$
CLRQ      -(SP)
CLRQ      -(SP)
CLRL      -(SP)
PUSHAB     TERM_CHAR
CLRQ      -(SP)
PUSHAB     LOCAL_IOSB
PUSHL     #39
MOVZWL     AED_W_TERMOUT, -(SP)
CLRL      -(SP)
CALLS      #12, SYSSQIOW
MOVL      R0, LOCAL_STATUS
BLBC      LOCAL_STATUS, 3$
MOVZWL     LOCAL_IOSB, LOCAL_STATUS
BLBS      LOCAL_STATUS, 6$
BBC        #3, AED_L_FLAGS, 4$
PUSHL     #1
PUSHL     #21
CALLS      #2, SCR$ERASE_PAGE
PUSHL     #1
PUSHL     #21
CALLS      #2, SCR$SET_CURSOR
PUSHL     LOCAL_STATUS
CALLS      #1, LIB$SIGNAL
BBC        #3, AED_L_FLAGS, 5$
MOVZBL     AED_B_COLUMN, -(SP)
MOVZBL     AED_B_LINE, -(SP)

```


50	14	52	64	02	FB	0007B	CALLS	#2, SCR\$SET_CURSOR	
50		A3	07	52	93	0007E	BITB	LOCAL_STATUS, #7	
			03	11	13	00081	BEQL	6\$	
			03	00	EF	00083	EXTZV	#0, #3, LOCAL_STATUS, R0	
				00	ED	00088	CMPZV	#0, #3, AED_L_WORSTERR, R0	
			14	04	18	0008E	BGEQ	6\$	
			OD	52	D0	00090	MOVL	LOCAL_STATUS, AED_L_WORSTERR	
			AE	02	88	00094	BISB2	#2, TERM_CHAR+4	0584
				7E	7C	00098	CLRQ	-(SP)	0588
				7E	7C	0009A	CLRQ	-(SP)	
				7E	D4	0009C	CLRL	-(SP)	
				1C	AE	0009E	PUSHAB	TERM_CHAR	
				20	7E	000A1	CLRQ	-(SP)	
					AE	000A3	PUSHAB	LOCAL_IOSB	
					23	DD	PUSHL	#35	
			7E	0080	C3	000A8	MOVZWL	AED_W_TERMOUT, -(SP)	
					7E	D4	CLRL	-(SP)	
			67		0C	FB	CALLS	#12, SYSSQIOW	
			52		50	D0	MOVL	R0, LOCAL_STATUS	
			06		52	E9	BLBC	LOCAL_STATUS, 7\$	0589
			52		6E	3C	MOVZWL	LOCAL_IOSB, LOCAL_STATUS	
			3C		52	EB	BLBS	LOCAL_STATUS, 10\$	0590
		OE	63		03	E1	BBC	#3, AED_L_FLAGS, 8\$	
					01	DD	PUSHL	#1	
					15	DD	PUSHL	#21	
			65		02	FB	CALLS	#2, SCR\$ERASE_PAGE	
					01	DD	PUSHL	#1	
					15	DD	PUSHL	#21	
			64		02	FB	CALLS	#2, SCR\$SET_CURSOR	
					52	DD	PUSHL	LOCAL_STATUS	
			66		01	FB	CALLS	#1, LIB\$SIGNAL	
		OB	63		03	E1	BBC	#3, AED_L_FLAGS, 9\$	
			7E		A3	9A	MOVZBL	AED_B_COLUMN, -(SP)	
			7E		A3	9A	MOVZBL	AED_B_LINE, -(SP)	
			64		02	FB	CALLS	#2, SCR\$SET_CURSOR	
			07		52	93	BITB	LOCAL_STATUS, #7	
					11	13	BEQL	10\$	
			03		00	EF	EXTZV	#0, #3, LOCAL_STATUS, R0	
			03		00	ED	CMPZV	#0, #3, AED_L_WORSTERR, R0	
					04	18	BGEQ	10\$	
			14		52	D0	MOVL	LOCAL_STATUS, AED_L_WORSTERR	
			02		06	E0	BBS	#6, AED_L_FLAGS+2, T3\$	0595
			4B		CF	9F	PUSHAB	P.AAA	0598
					01	FB	CALLS	#1, AED_PUTOUTPUT	
					50	D0	MOVL	R0, LOCAL_STATUS	
					52	EB	BLBS	LOCAL_STATUS, 13\$	
			OE		03	E1	BBC	#3, AED_L_FLAGS, 11\$	0599
			63		01	DD	PUSHL	#1	
					15	DD	PUSHL	#21	
			65		02	FB	CALLS	#2, SCR\$ERASE_PAGE	
					01	DD	PUSHL	#1	
					15	DD	PUSHL	#21	
			64		02	FB	CALLS	#2, SCR\$SET_CURSOR	
					52	DD	PUSHL	LOCAL_STATUS	
			66		01	FB	CALLS	#1, LIB\$SIGNAL	
		OB	63		03	E1	BBC	#3, AED_L_FLAGS, 12\$	
			7E		A3	9A	MOVZBL	AED_B_COLUMN, -(SP)	

50	14	52	7E	24	A3	9A	0012D	MOVZBL	AED_B LINE, -(SP)	
50		A3	64		02	FB	00131	CALLS	#2, SCR\$SET_CURSOR	
			07		52	93	00134	BITB	LOCAL_STATUS, #7	
					11	13	00137	BEQL	13\$	
			03		00	EF	00139	EXTZV	#0, #3, LOCAL_STATUS, R0	
			03		00	ED	0013E	CMPZV	#0, #3, AED_L_WORSTERR, R0	
				14	A3	04	18	00144	BGEQ	13\$
					52	DD	00146	MOVL	LOCAL_STATUS, AED_L_WORSTERR	
					18	DD	0014A	PUSHL	#24	0604
					01	DD	0014C	PUSHL	#1	
		00000000G	00		02	FB	0014E	CALLS	#2, SCR\$SET_SCROLL	0606
					01	DD	00155	PUSHL	#1	
					17	DD	00157	PUSHL	#23	
		0000G	CF		02	FB	00159	CALLS	#2, AED_SET_CURSOR	
					04	0015E	RET			0610

; Routine Size: 351 bytes, Routine Base: \$CODE\$ + 0000

; 161 0611 1
; 162 0612 1 END
; 163 0613 0 ELUDOM

PSECT SUMMARY

Name	Bytes	Attributes
AED_COMMON	1320	NOVEC, WRT, RD, NOEXE, NOSHR, LCL, REL, OVR, NOPIC, ALIGN(0)
\$SPLITS	12	NOVEC, NOWRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$CODE\$	351	NOVEC, NOWRT, RD, EXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
\$255\$DUA28:[SYSLIB]LIB.L32;1	18619	28	0	1000	00:01.8
\$255\$DUA28:[SYSLIB]TPAMAC.L32;1	42	0	0	14	00:00.2

COMMAND QUALIFIERS

; BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS\$:AEDCLENUP/OBJ=OBJ\$:AEDCLENUP MSRC\$:AEDCLENUP/UPDATE=(ENH\$:AEDCLENUP)

AED\$CLEANUP
V04-000

M 15
15-Sep-1984 23:37:15

VAX-11 BLISS-32 V4.0-742

Page 11

: Size: 351 code + 1332 data bytes
: Run Time: 00:12.2
: Elapsed Time: 00:30.5
: Lines/CPU Min: 3024
: Lexemes/CPU-Min: 25287
: Memory Used: 185 pages
: Compilation Complete

0002

**DIGITAL
CONFIDE**